

DACUS LURE · CMM · Pheromones



Description

1,7-dioxaspiro-(5,5) undecane **CMM Susbin** plugs are used as sexual attractants for Bactrocera oleae males for monitoring purposes. **Jackson Traps** (recommended), **McPhail Traps** or **Fly Traps** can be used.

Featuresa -

Colour: white

Concentration: 0,13 grs Al

Holder device: Polymeric matrix

Toxicity: non toxic

Lifespan: 90 days (depending on weather conditions)

Packaging —

Box containing 1,000 units in hermetic sachets; each sachet has 2 units.

Usage -

In Jackson traps (recommended) inside the pheromone trap. Trap captures must be monitored weekly in order to correctly determine the FTD of the trap to apply control measures in a timely manner.

Total number of flies

(Number of traps x Average number of days of traps in the field)

Bactrocera oleae mate in the treetops to protect themselves from predators and the wind; for this reason, the traps should be located near the fruits in the upper third of the tree, they must be exposed to the sun as little as possible, and the entrance of the trap should not be obstructed by branches or any other element.

If a trap is placed in creeping plants (for example, melon) near the fruiting area, physical devices must be used to support the trap.









Preservation —

It is recommended to store them in the original sachets in a cool and dry place, avoiding direct exposure to sunlight.

Safety Precautions -

Keep out of reach of children and inexperienced people. Handle with gloves. Wash the exposed surface with plenty of soap and water. If ingested, you should induce vomiting and seek medical advice immediately.

Warnings -

Avoid product spillages in order to prevent attraction areas outside the trap. Confer with an agricultural science professional before purchasing and using this product.

Susbin S.A. is responsible for the composition of the product until its expiration date.

Susbin S.A. is not responsible for damages of any nature that may derive from a different use of the product.